

*N 50, BUILT-IN FREEZER, 71.2 X 55.8 CM, FLAT
HINGE
G1113FE0*



This built-in freezer helps to defrost faster, comes with a malfunction warning signal and consumes very low energy only.

✓ Low Frost – Reduces frost in the freezer compartment for less frequent defrosting.

Features

Technical Data

Energy Efficiency Class¹:E
Average annual energy consumption in kilowatt hour per year (kWh/a): 167 kWh/a
Sum of volume of frozen compartments: 72 l
Airborne acoustical noise emissions : 36 dB(A) re 1 pW
Airborne acoustical noise emission class: C
Thermometer freeze section:N/A
Product category: Upright freezer
Built-in / Free-standing: Built-in
Door panel options: Not possible
Height of the appliance: 712 mm
Width of the appliance: 558 mm
Depth: 545 mm
Required niche size for installation (HxWxD): 720x560x550 mm
Dimensions of the packed product (HxWxD): 790x620x640 mm
Net weight: 35.6 kg
Gross weight: 38.0 kg
Connection Rating: 90 W
Fuse protection: 10 A
Frequency: 50 Hz
Length electrical supply cord: 230 cm
Door hinge:Right reversible
Defrost: Manual
Warning signal / malfunction: Both visual and audible
Door lock: No
Number of drawers/baskets (Stck): 3
Number of freezing flaps (Stck):0
EAN code:4242004239628
Brand:Neff
Product name / Commercial code: G1113FE0
Product category: Upright freezer
Included accessories: 1 x ice cube tray



¹ Scale of Energy Efficiency Classes from A to G

N 50, BUILT-IN FREEZER, 71.2 X 55.8 CM, FLAT HINGE G1113FEO

Features

Highlights

- Dimensions: 712x558x545 mm
- Energy Efficiency Class¹: E
- Sum of volume of frozen compartments: 72 l
- Airborne acoustical noise emissions : 36 dB(A) re 1 pW
- Storage Period in Event of Power Failure (h): 13 h
- Freezing Capacity (4-star Compartment): 4.4 kg/24 h
- List of warnings: Temperature rise

General

- Colour of appliance: N/A
- Door hinge: Right reversible
- Hinge type: flat hinge
- Door handle type: no handle
- Dispenser: N/A
- Type of control setting devices: Button
- Energy Efficiency Class²: E
- Average annual energy consumption in kilowatt hour per year (kWh/a): 167 kWh/a
- Sum of volume of frozen compartments: 72 l
- Airborne acoustical noise emissions : 36 dB(A) re 1 pW
- Airborne acoustical noise emission class: C
- Climate Class: Extended temperate, Subtropical, Temperate, tropical
- Included accessories: 1 x ice cube tray

Size and weight

- Dimensions: 712x558x545 mm
- Dimensions of the packed product (HxWxD): 790x620x640 mm
- Minimum height for installation: 720 mm
- Maximum height for installation: 720 mm
- Minimum width for installation: 560 mm
- Maximum width for installation: 560 mm
- Depth for installation: 550 mm
- Net weight: 35.6 kg
- Gross weight: 38.0 kg
- Length electrical supply cord: 230 cm

Specific Features

- superFreezing
- Type of display: LED
- List of warnings: Temperature rise

Freezing

- Star Rating: 4
- Storage Period in Event of Power Failure (h): 13 h
- Number of drawers/baskets (Stck): 3
- Number of freezing flaps (Stck): 0





Connectivity

² Scale of Energy Efficiency Classes from A to G


¹ Scale of Energy Efficiency Classes from A to G

N 50, BUILT-IN FREEZER, 71.2 X 55.8 CM, FLAT
HINGE
G1113FE0

Dimensioned drawings




Dimensioned drawings



measurements in mm

measurements in mm

Recommended gap dimensions for flat hinges



F	R	X
16-19	0-3	2.5
20	0-1	3
	2-3	2.5
21	0-1	3
	2-3	2.5
22	0	4
	1	3.5
	2-3	3

The gap dimensions recommended in the table must be adhered to in order to ensure that appliance doors do not collide with anything when they are opened, and to avoid causing damage to kitchen units.